



Republic of the Philippines
DEPARTMENT OF JUSTICE
BUREAU OF CORRECTIONS
NBP Reservation, 1776 Muntinlupa City
TEL.NO. (02) 807-23-68



SUPPLEMENTAL/BID BULLETIN # 2

TO ALL PROSPECTIVE/INTERESTED BIDDERS FOR THE SUPPLY AND DELIVERY OF **MILITARY, POLICE AND SECURITY EQUIPMENT** WITH APPROVED BUDGET FOR THE CONTRACT (ABC) **FIFTY-SEVEN MILLION FOUR HUNDRED SEVENTY-NINE THOUSAND PESOS ONLY (P57,479,000.00)**.

PLEASE BE INFORMED ON THE FOLLOWING AMENDMENTS ON BIDDING DOCUMENTS (TECHNICAL SPECIFICATIONS AND SCHEDULE OF REQUIREMENTS).

FROM	TO
<p>CALIBER 5.56mm, ASSAULT RIFLE (Barrel Length: 335mm)</p> <p>Caliber / Ammunitions: 5.56 x 45mm NATO Operations: Gas on Piston Head, Rotating Bolt Locking Firing Mode: Semi-Auto, Full Auto Feeding Capacity: 30 rounds STANAG Magazine Barrel Rifling: 6 Right hand Grooves, 1:7 twist Barrel Bore: Chrome line Butt Stock: 4 position Telescopic Retractable Stock Hand Guard: Mil-Specs; Quad rail system with heat resistant rail cover Muzzle Velocity: Approx. 880m/sec Rate of Fire: at least 650-950 rounds per minute Sights: Front A-post / Rear Aperture (tritium sights) Overall weight w/o magazine: 3.4kg/3.05kg Barrel Length: 335mm Overall Length: 847mm (Extended) / 730mm (Retracted) Must have at least four (4) pieces 30 rounder magazine</p>	<p>CALIBER 5.56mm, ASSAULT RIFLE (Barrel Length: 335mm)</p> <p>Caliber / Ammunitions: 5.56 x 45mm NATO Operations: Gas on Piston Head, Rotating Bolt Locking Firing Mode: Semi-Auto, Full Auto Feeding Capacity: 30 rounds Magazine Feed Barrel Rifling: 1:7 twist, either right or left-hand groove Butt Stock: Telescopic Retractable or Foldable Stock Hand Guard: Mil-Specs; Quad rail system with heat resistant rail cover Rate of Fire: at least 600-950 rounds per minute Sights: Front A-post / Rear Aperture (tritium sights) Barrel Length: at least 13 to 15 inches Must have at least four (4) pieces 30 rounder magazine</p>

<p>CALIBER 5.56mm, ASSAULT RIFLE (Barrel Length: 216mm)</p> <p>Caliber / Ammunitions: 5.56 x 45mm NATO Operations: Gas on Piston Head, Rotating Bolt Locking Firing Mode: Semi-Auto, Full Auto Feeding Capacity: 30 rounds STANAG Magazine Barrel Rifling: 6 Right hand Groves, 1:7 twist Barrel Bore: Chrome line Butt Stock: 4 position Telescopic Retractable Stock Hand Guard: Mil-Specs; Quad rail system with heat resistant rail cover Muzzle Velocity: Approx. 880m/sec Rate of Fire: at least 650-950 rounds per minute Sights: Front A-post / Rear Aperture (tritium sights) Overall weight w/o magazine: 3.4kg/3.05kg Barrel Length: 216mm Overall Length: 847mm (Extended / 730mm (Retracted) Must have at least four (4) pieces 30 rounder magazine</p>	<p>CALIBER 5.56mm, ASSAULT RIFLE (Barrel Length: 216mm)</p> <p>Caliber / Ammunitions: 5.56 x 45mm NATO Operations: Gas on Piston Head, Rotating Bolt Locking Firing Mode: Semi-Auto, Full Auto Feeding Capacity: 30 rounds Magazine Feed Barrel Rifling: 1:7 twist, either right or left-hand groove Barrel Bore: Chrome line Butt Stock: Telescopic Retractable or Foldable Stock Hand Guard: Mil-Specs; Quad rail system with heat resistant rail cover Rate of Fire: at least 600-950 rounds per minute Sights: Front A-post / Rear Aperture (tritium sights) Barrel Length: at least 7 to 9 inches Must have at least four (4) pieces 30 rounder magazine</p>
<p>CALIBER 7.62mm, ASSAULT RIFLE</p> <p>Caliber / Ammunitions: 7.62mm x 51mm NATO Operations: Gas on Piston Head, Rotating Bolt Locking Firing Mode: Semi-Auto, Full Auto Feeding Capacity: 30 rounds STANAG Magazine Barrel Rifling: 6 Right hand Groves, 1:12 twist Barrel Bore: Chrome line Butt Stock: 4 position Telescopic Retractable Stock Hand Guard: Mil-Specs; Quad rail system with heat resistant rail cover Muzzle Velocity: Approx. 880m/sec Rate of Fire: at least 620-680 rounds per minute Sights: Front A-post / Rear Aperture (tritium sights) Overall weight w/o magazine: 3.8kg Barrel Length: 511mm</p>	<p>CALIBER 7.62mm, ASSAULT RIFLE</p> <p>Caliber / Ammunitions: 7.62mm x 51mm NATO Operations: Gas on Piston Head, Rotating Bolt Locking Firing Mode: Semi-Auto Feeding Capacity: 20 to 30 rounds Magazine Feed Barrel Rifling: 1:12 twist either right or left-hand groove Butt Stock: Telescopic Retractable or Foldable Stock Hand Guard: Mil-Specs; Quad rail system with heat resistant rail cover Rate of Fire: at least 600-800 rounds per minute Sights: Front A-post / Rear Aperture (tritium sights) Overall weight w/o magazine: 3.8kg Barrel Length: at least 20 to 24 inches</p>

<p>Overall Length: 847mm (Extended) / 730mm (Retracted) Must have at least four (4) pieces 30 rounder magazine</p>	<p>Must have at least four (4) pieces 30 rounder magazine</p>
<p>CALIBER 5.56mm, LIGHT MACHINE GUN</p> <p>Caliber / Ammunitions: 5.56 x 45mm NATO Operations: Gas on Piston Head, Rotating Bolt Locking Firing Mode: Semi-Auto, Full Auto Feeding Capacity: Belt from assault drum or box, magazine Barrel Rifling: 6 Right hand Groves, 1:7 twist Muzzle Velocity: Approx. 850 m/sec Rate of Fire: at least 850-1050 rounds per minute Sights: Front Post Type adjustable / Rear Aperture with elevation drum Overall weight (weapon only): 7.6kg Barrel Length: 330mm Overall Length: 890mm (Extended) / 680mm (Folded) With rugged bipod stand</p>	<p>NO CHANGES/AMENDMENTS</p>
<p>GRENADE LAUNCHER</p> <p>Caliber: 40X46mm Rifling: 6 RH grooves, 1:48" twist Barrel length (mm):228.5mm Total length (mm): 340 Weight (weapon only): at least 1.34kg</p>	<p>NO CHANGES/AMENDMENTS</p>
<p>CALIBER .40, PISTOL</p> <p>Caliber / Ammunitions: .40 S&W Operations: Semi-Auto, Short Recoil System, Hammer type, Magazine loaded Trigger Mechanism: Singe, Double Action Barrel Length: at least 4.4 Inches Barrel Rifling: at least 6 Right Hand twist Sight: Combat type with tritium sight Magazine Capacity: at least 12 rounds Features: at least with a firing Pin block and a Decoker No. of Magazines: At least three pieces Magazine</p>	<p>CALIBER .40, PISTOL</p> <p>Caliber / Ammunitions: .40 S&W Operations: Semi-Auto, Short Recoil System, Hammer type, Magazine loaded Trigger Mechanism: Singe, Double Action Barrel Length: at least 4.4 Inches Barrel Rifling: at least 6 Right Hand twist Sight: Combat type sight Magazine Capacity: at least 12 to 15 rounds Features: at least with a firing Pin block and a Decoker No. of Magazines: At least three pieces Magazine</p>

Testing of Items (Qty & rds/unit), ammunitions provided by the bidder

ITEMS	QTY	RDS/UNIT
1. CALIBER 5.56mm, ASSAULT RIFLE (Barrel Length: 335mm)	10	100 rds/unit
2. CALIBER 5.56mm, ASSAULT RIFLE (Barrel Length: 216mm)	5	100 rds/unit
3. CALIBER 7.62mm, ASSAULT RIFLE	3	100 rds/unit
4. CALIBER 5.56mm, LIGHT MACHINE GUN	1	100 rds/unit
5. GRENADE LAUNCHER	2	2 rds/unit
6. CALIBER .40, PISTOL	10	100 rds/unit

Schedule of Requirements (Delivery Period) amended from 90 calendar days to 180 CALENDAR DAYS

FOR FURTHER INQUIRIES, PLEASE CONTACT THE BUCOR-BAC CHAIRMAN OR BUCOR-BAC HEAD SECRETARIAT AT TELEPHONE NO. (02) 478-09-07/772-27-18/809-85-87 (e-mail at bacsecbucor@yahoo.com)

ISSUED THIS 21ST DAY OF JULY 2021 AT MUNTINLUPA CITY.



CCSUPT VICTOR ERICK PASCUA
BUCOR-BAC CHAIRPERSON