



Republic of the Philippines
Department of Justice
BUREAU OF CORRECTIONS
City of Muntinlupa



REQUEST FOR QUOTATION #2025-021
SUPPLY AND DELIVERY OF CONSTRUCTION POWERED TOOLS AND
ACCESSORIES FOR CES

(Neg. Proc.-Small Value Procurement)
ABC ₱ 199,919.00

Date: _____

Name of Company: _____

Address: _____

TIN No.: _____

Please quote your best offer for the item/s described below, subject to the Terms and Conditions as stated hereunder.

- a.) Bidders shall provide correct and accurate information required in this form.
- b.) Bidders may quote for all the items.
- c.) Price quotation/s must be valid for a period of *One Hundred Twenty (120) calendar days* from the date of submission.
- d.) Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
- e.) Quotations exceeding the Approved Budget for the Contract shall be rejected.
- f.) Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services) which complies with the minimum technical specifications and other terms and conditions stated herein.
- g.) Any alterations, erasures or overwriting shall be valid only if they are signed or initiated by you or any of your duly authorized representative/s.
- h.) The item/s shall be delivered within Fifteen (15) calendar days from receipt of approved purchase order.
- i.) The BuCor shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
- j.) Liquidated damages equivalent to one tenth of one percent (0.001%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The BuCor shall rescind the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- k.) Bidders shall submit the required documents together with their bid price in a sealed envelope indicating supplier's name and name of project.
- l.) Submission thru e-mail and fax quotation will be allowed/accepted.

REQUIREMENTS TO BE SUBMITTED

- m.) Valid and Current PhilGeps Registration Number
- n.) Valid and Current Mayor's/Business Permit
- o.) Omnibus sworn statement (original copy)
- p.) Duly Notarized Authority to Signatory (if applicable).

Note:


Allow PEs to accept the expired Buisness or Mayor's permit with Official Receipt of renewal application, subject to submission of Business or Mayor's permit after award of contract under GPPB Resoution No. 05-2020 Approving the Acceptance of an Expired Mayor's Permit with Official Receipt for yhe Renewal Application.

NOTE:

BIDDERS STATEMENT OF COMPLIANCE ON THE TERMS & CONDITIONS AND REQUIREMENTS AS STATED ABOVE

Signature over Printed Name of
Sole Proprietor /Authorized Representative

Submit your sealed quotation duly signed by you or your duly authorized representative not later than MARCH 10, 2025 at the BAC Office, Bureau of Corrections at 9:00am. Late submission of bids shall be rejected. For further information, you can call the BAC Secretariat c/o CSI FRANCIS JADE P PAJUNAR at the Supply Office, Bureau of Corrections, Muntinlupa City at Tel # 8809-8587/8478-0907 from 8:00 am to 5:00pm or email at bacsec2022@gmail.com, Monday to Friday


CCSUPT CELSO S BRAVO
Chairperson, Bids and Awards Committee

After having carefully read and accepted the Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

REQUEST FOR QUOTATION RFQ 2025-021

Project: SUPPLY AND DELIVERY OF CONSTRUCTION POWERED TOOLS AND ACCESSORIES FOR CES

ABC ₱ 199,919.00

QTY	UNIT	DESCRIPTION	Compliance to the Technical specifications (Please check)		Approved Budget for Contract	Unit Offered Quotation	Offered Quotation																				
			YES	NO																							
3	units	Cordless Driver Drill Specifications: <table border="1"> <tr> <td>Net weight</td> <td>1.1 – 1.3 kg (2.4 – 2.8 lbs)</td> </tr> <tr> <td>Dimensions (L x W x H)</td> <td>189x66x209 mm (7-7/16"x2-5/8"x8-1/4")</td> </tr> <tr> <td>Max Output</td> <td>170 W</td> </tr> <tr> <td>Sound Pressure Level</td> <td>70 dB(A) or less</td> </tr> <tr> <td>Vibration Level</td> <td>Drilling Into Metal : 2.5 m/s² or less</td> </tr> <tr> <td>Max lock torque</td> <td>28 N·m (250 in.lbs.)</td> </tr> <tr> <td>Max Fastening Torque</td> <td>Hard / Soft: 30 / 14 N·m (270 / 130 in.lbs.)</td> </tr> <tr> <td>No Load Speed (RPM)</td> <td>High / Low : 0 – 1,700 / 0 – 450</td> </tr> <tr> <td>Chuck capacity</td> <td>0.8 – 10 mm (1/32 – 3/8")</td> </tr> <tr> <td>Capacity</td> <td>Steel / Wood : 10 / 21 mm (3/8" / 13/16")</td> </tr> </table>	Net weight	1.1 – 1.3 kg (2.4 – 2.8 lbs)	Dimensions (L x W x H)	189x66x209 mm (7-7/16"x2-5/8"x8-1/4")	Max Output	170 W	Sound Pressure Level	70 dB(A) or less	Vibration Level	Drilling Into Metal : 2.5 m/s² or less	Max lock torque	28 N·m (250 in.lbs.)	Max Fastening Torque	Hard / Soft: 30 / 14 N·m (270 / 130 in.lbs.)	No Load Speed (RPM)	High / Low : 0 – 1,700 / 0 – 450	Chuck capacity	0.8 – 10 mm (1/32 – 3/8")	Capacity	Steel / Wood : 10 / 21 mm (3/8" / 13/16")			9,150.00		
Net weight	1.1 – 1.3 kg (2.4 – 2.8 lbs)																										
Dimensions (L x W x H)	189x66x209 mm (7-7/16"x2-5/8"x8-1/4")																										
Max Output	170 W																										
Sound Pressure Level	70 dB(A) or less																										
Vibration Level	Drilling Into Metal : 2.5 m/s² or less																										
Max lock torque	28 N·m (250 in.lbs.)																										
Max Fastening Torque	Hard / Soft: 30 / 14 N·m (270 / 130 in.lbs.)																										
No Load Speed (RPM)	High / Low : 0 – 1,700 / 0 – 450																										
Chuck capacity	0.8 – 10 mm (1/32 – 3/8")																										
Capacity	Steel / Wood : 10 / 21 mm (3/8" / 13/16")																										
3	units	Angle Grinder <table border="1"> <tr> <td>Rated power input</td> <td>800 W</td> </tr> <tr> <td>No-load speed</td> <td>11000 rpm</td> </tr> <tr> <td>Grinding spindle thread</td> <td>M10</td> </tr> <tr> <td>Disc diameter</td> <td>100 mm</td> </tr> <tr> <td>Weight without cable</td> <td>1.9 kg</td> </tr> </table>	Rated power input	800 W	No-load speed	11000 rpm	Grinding spindle thread	M10	Disc diameter	100 mm	Weight without cable	1.9 kg			9,600.00												
Rated power input	800 W																										
No-load speed	11000 rpm																										
Grinding spindle thread	M10																										
Disc diameter	100 mm																										
Weight without cable	1.9 kg																										

2	units	<p>Rotary Hammer</p> <p>Specifications:</p> <table border="1"> <tr> <td>Continuous rating input</td> <td>780W</td> </tr> <tr> <td>Impact Energy EPTA-Procedure 05/2009</td> <td>2.4 J</td> </tr> <tr> <td>Our experimental conditions</td> <td>2.7 J</td> </tr> <tr> <td>Capacity Concrete</td> <td>24 mm (15/16")</td> </tr> <tr> <td>Steel</td> <td>13 mm (1/2")</td> </tr> <tr> <td>Wood</td> <td>32 mm (1-1/4")</td> </tr> <tr> <td>Blows Per Minute (BPM)</td> <td>0 - 4,500</td> </tr> <tr> <td>No Load Speed (RPM)</td> <td>0 - 1,100</td> </tr> <tr> <td>Sound Pressure Level</td> <td>90 dB(A)</td> </tr> <tr> <td>Sound Power Level</td> <td>101 dB(A)</td> </tr> <tr> <td>Vibration Level Hammer Drilling into Concrete</td> <td>15.5 m/s²</td> </tr> <tr> <td>Drilling</td> <td>4.5 m/s²</td> </tr> <tr> <td>Dimensions (L x W x H)</td> <td>362x84x214 mm (14-1/4"x3-5/16"x8-3/8")</td> </tr> <tr> <td>Net weight</td> <td>2.8 - 3.2 kg (6.1 - 7.0 lbs.)</td> </tr> <tr> <td>Power supply cord</td> <td>2.5 m (8.2 ft)</td> </tr> </table>	Continuous rating input	780W	Impact Energy EPTA-Procedure 05/2009	2.4 J	Our experimental conditions	2.7 J	Capacity Concrete	24 mm (15/16")	Steel	13 mm (1/2")	Wood	32 mm (1-1/4")	Blows Per Minute (BPM)	0 - 4,500	No Load Speed (RPM)	0 - 1,100	Sound Pressure Level	90 dB(A)	Sound Power Level	101 dB(A)	Vibration Level Hammer Drilling into Concrete	15.5 m/s ²	Drilling	4.5 m/s ²	Dimensions (L x W x H)	362x84x214 mm (14-1/4"x3-5/16"x8-3/8")	Net weight	2.8 - 3.2 kg (6.1 - 7.0 lbs.)	Power supply cord	2.5 m (8.2 ft)			18,400.00		
Continuous rating input	780W																																				
Impact Energy EPTA-Procedure 05/2009	2.4 J																																				
Our experimental conditions	2.7 J																																				
Capacity Concrete	24 mm (15/16")																																				
Steel	13 mm (1/2")																																				
Wood	32 mm (1-1/4")																																				
Blows Per Minute (BPM)	0 - 4,500																																				
No Load Speed (RPM)	0 - 1,100																																				
Sound Pressure Level	90 dB(A)																																				
Sound Power Level	101 dB(A)																																				
Vibration Level Hammer Drilling into Concrete	15.5 m/s ²																																				
Drilling	4.5 m/s ²																																				
Dimensions (L x W x H)	362x84x214 mm (14-1/4"x3-5/16"x8-3/8")																																				
Net weight	2.8 - 3.2 kg (6.1 - 7.0 lbs.)																																				
Power supply cord	2.5 m (8.2 ft)																																				
1	Unit	<p>Chipping Gun</p> <p>Specifications:</p> <table border="1"> <tr> <td>Rated input power</td> <td>1,100 W</td> </tr> <tr> <td>Impact energy</td> <td>7.8 J</td> </tr> <tr> <td>Impact rate at rated speed</td> <td>2,900 bpm</td> </tr> <tr> <td>Weight</td> <td>5.6 kg</td> </tr> <tr> <td>Tool dimensions (width)</td> <td>103 mm</td> </tr> <tr> <td>Tool dimensions (length)</td> <td>455 mm</td> </tr> <tr> <td>Tool dimensions (height)</td> <td>235 mm</td> </tr> <tr> <td>Tool holder</td> <td>HEX 17 mm</td> </tr> <tr> <td>Noise level</td> <td>The A-rated noise level of the power tool is typically as follows: Sound pressure level dB(A); Sound power level dB(A). Uncertainty K= dB.</td> </tr> </table>	Rated input power	1,100 W	Impact energy	7.8 J	Impact rate at rated speed	2,900 bpm	Weight	5.6 kg	Tool dimensions (width)	103 mm	Tool dimensions (length)	455 mm	Tool dimensions (height)	235 mm	Tool holder	HEX 17 mm	Noise level	The A-rated noise level of the power tool is typically as follows: Sound pressure level dB(A); Sound power level dB(A). Uncertainty K= dB.			10,350.00														
Rated input power	1,100 W																																				
Impact energy	7.8 J																																				
Impact rate at rated speed	2,900 bpm																																				
Weight	5.6 kg																																				
Tool dimensions (width)	103 mm																																				
Tool dimensions (length)	455 mm																																				
Tool dimensions (height)	235 mm																																				
Tool holder	HEX 17 mm																																				
Noise level	The A-rated noise level of the power tool is typically as follows: Sound pressure level dB(A); Sound power level dB(A). Uncertainty K= dB.																																				
1	Set	Cutting and Welding Outfit			15,450.00																																

		<p>Specifications:</p> <ul style="list-style-type: none"> • G350 Series Regulators • WH411C Torch handle with built-in check valves • CA411-1 Cutting Attachment • Size 2-UM-350 Welding Nozzle • Size 0 Series 1 Cutting Tip • Includes 1/4" x 25" R" Grade Hose • Includes Striker and Goggles • Welds up to 5/64" (3" / 76.2mm with optional nozzles) • Cuts up to 3/8" / 12.7mm (6" / 76.2mm with optional tips) 																				
1	Unit	<p>Circular Saw</p> <p>Specifications:</p> <table border="1"> <tr> <td>Rated power input</td> <td>2,050 W</td> </tr> <tr> <td>No-load speed</td> <td>0 - 5300 rpm</td> </tr> <tr> <td>Weight without cable</td> <td>7.6 kg</td> </tr> <tr> <td>Saw blade bore</td> <td>25 mm</td> </tr> <tr> <td>Saw blade diameter</td> <td>235 mm</td> </tr> <tr> <td colspan="2">Cutting depth</td> </tr> <tr> <td>Cutting depth (90°)</td> <td>85 mm</td> </tr> <tr> <td>Cutting depth (45°)</td> <td>65 mm</td> </tr> </table>	Rated power input	2,050 W	No-load speed	0 - 5300 rpm	Weight without cable	7.6 kg	Saw blade bore	25 mm	Saw blade diameter	235 mm	Cutting depth		Cutting depth (90°)	85 mm	Cutting depth (45°)	65 mm			8,679.00	
Rated power input	2,050 W																					
No-load speed	0 - 5300 rpm																					
Weight without cable	7.6 kg																					
Saw blade bore	25 mm																					
Saw blade diameter	235 mm																					
Cutting depth																						
Cutting depth (90°)	85 mm																					
Cutting depth (45°)	65 mm																					
2	Sets	<p>Portable Welding Machine</p> <p>Specifications:</p> <table border="1"> <tr> <td>Voltage</td> <td>220V</td> </tr> <tr> <td>Frequency</td> <td>60 Hz</td> </tr> <tr> <td>Rated Output</td> <td>3.8 Kva</td> </tr> <tr> <td>Usable Electrode Size</td> <td>1.6mm to 3.2mm</td> </tr> <tr> <td>Chip Type</td> <td>IGBT</td> </tr> </table>	Voltage	220V	Frequency	60 Hz	Rated Output	3.8 Kva	Usable Electrode Size	1.6mm to 3.2mm	Chip Type	IGBT			6,150.00							
Voltage	220V																					
Frequency	60 Hz																					
Rated Output	3.8 Kva																					
Usable Electrode Size	1.6mm to 3.2mm																					
Chip Type	IGBT																					
2	Units	<p>Fiber Glass Step Ladders</p> <p>Specifications:</p> <ul style="list-style-type: none"> • Multi-functional tools slots for increased productivity • Made of non-conductive fiberglass rails Pinch-resistant side braces and skid-resistant rubber feet • Aluminum angle feet with heavy duty corrugated rubber thread • Capable of supporting 225 lbs. to 300 lbs. • 6 Feet 			19,800.00																	
1	Unit	<p>Vaccum Cleaner</p> <p>Specifications:</p> <table border="1"> <tr> <td>Voltage</td> <td>220V-240V~50/60Hz</td> </tr> <tr> <td>Input power</td> <td>1000W</td> </tr> <tr> <td>Dust capacity</td> <td>15L</td> </tr> <tr> <td>Vacuum</td> <td>≥15KPa</td> </tr> <tr> <td>Suction hose diameter</td> <td>32 mm</td> </tr> <tr> <td>Suction hose length</td> <td>1.5 m</td> </tr> </table>	Voltage	220V-240V~50/60Hz	Input power	1000W	Dust capacity	15L	Vacuum	≥15KPa	Suction hose diameter	32 mm	Suction hose length	1.5 m			2,700.00					
Voltage	220V-240V~50/60Hz																					
Input power	1000W																					
Dust capacity	15L																					
Vacuum	≥15KPa																					
Suction hose diameter	32 mm																					
Suction hose length	1.5 m																					

1	Unit	Bagger Mixer Engine Specifications: <table border="1"> <tr> <td>Type</td> <td>Air cooled, 4 cycle OHV 25degree Inclined, Single Cylinder, Gasoline Engine</td> </tr> <tr> <td>Displacement Volume (cc)</td> <td>163</td> </tr> <tr> <td>Bore x Stroke</td> <td>68 x 45</td> </tr> <tr> <td>Compression Ratio</td> <td>8.5 : 1</td> </tr> <tr> <td>Max. Power (HP/RPM)</td> <td>5.5 / 3,600</td> </tr> <tr> <td>Max Torque (Kg.m)</td> <td>10.5 / 2,500</td> </tr> <tr> <td>Air Cleaner/Lubrication</td> <td>Oil bath type / Splash System</td> </tr> <tr> <td>Starter System</td> <td>Recoil Start with Automatic Compression Release</td> </tr> <tr> <td>Oil Capacity (L)</td> <td>0.6</td> </tr> <tr> <td>Fuel Capacity (L)</td> <td>3.6</td> </tr> <tr> <td>Size (WxLxH) (mm)</td> <td>400 x 370 x 380</td> </tr> <tr> <td>Net Weight (kg)</td> <td>17</td> </tr> </table>	Type	Air cooled, 4 cycle OHV 25degree Inclined, Single Cylinder, Gasoline Engine	Displacement Volume (cc)	163	Bore x Stroke	68 x 45	Compression Ratio	8.5 : 1	Max. Power (HP/RPM)	5.5 / 3,600	Max Torque (Kg.m)	10.5 / 2,500	Air Cleaner/Lubrication	Oil bath type / Splash System	Starter System	Recoil Start with Automatic Compression Release	Oil Capacity (L)	0.6	Fuel Capacity (L)	3.6	Size (WxLxH) (mm)	400 x 370 x 380	Net Weight (kg)	17			6,250.00				
Type	Air cooled, 4 cycle OHV 25degree Inclined, Single Cylinder, Gasoline Engine																																
Displacement Volume (cc)	163																																
Bore x Stroke	68 x 45																																
Compression Ratio	8.5 : 1																																
Max. Power (HP/RPM)	5.5 / 3,600																																
Max Torque (Kg.m)	10.5 / 2,500																																
Air Cleaner/Lubrication	Oil bath type / Splash System																																
Starter System	Recoil Start with Automatic Compression Release																																
Oil Capacity (L)	0.6																																
Fuel Capacity (L)	3.6																																
Size (WxLxH) (mm)	400 x 370 x 380																																
Net Weight (kg)	17																																
1	Set	Gasoline Generator & Welder Set Specifications: <ul style="list-style-type: none"> • Permanent Magnet • 160amp welding cap for welding • 1kva AC power output • Gasoline engine 210cc/7.5hp • recoil start • digital display <volt, hertz,time> • strong framing • control knob for high amp and low amp setting • heavy duty/industrial grade. 			40,200.00																												
1	Unit	Gasoline engine Chainsaw Specifications: <table border="1"> <tr> <td>Guide Bar Length</td> <td>20"(102133)</td> </tr> <tr> <td>Bar length</td> <td>18" to 20"</td> </tr> <tr> <td>Displacement</td> <td>45.4 cm³</td> </tr> <tr> <td>Power output (kW/hp)</td> <td>2.3/3.1</td> </tr> <tr> <td>Revolutions per minute (rpm) MAX</td> <td>14,000</td> </tr> <tr> <td>Revolutions per minute (rpm) idle</td> <td>2,800</td> </tr> <tr> <td>Weight (kg)</td> <td>4.6</td> </tr> <tr> <td>Power-to-weight ratio (kg/KW)</td> <td>2</td> </tr> <tr> <td>Sound pressure level</td> <td>101</td> </tr> <tr> <td>Sound power level</td> <td>114</td> </tr> <tr> <td>Vibration level left/right (m/s²)</td> <td>5.7/6.8</td> </tr> <tr> <td>Oilomatic saw chain type</td> <td>RM</td> </tr> <tr> <td>Saw chain pitch</td> <td>0.325</td> </tr> </table>	Guide Bar Length	20"(102133)	Bar length	18" to 20"	Displacement	45.4 cm ³	Power output (kW/hp)	2.3/3.1	Revolutions per minute (rpm) MAX	14,000	Revolutions per minute (rpm) idle	2,800	Weight (kg)	4.6	Power-to-weight ratio (kg/KW)	2	Sound pressure level	101	Sound power level	114	Vibration level left/right (m/s ²)	5.7/6.8	Oilomatic saw chain type	RM	Saw chain pitch	0.325			24,750.00		
Guide Bar Length	20"(102133)																																
Bar length	18" to 20"																																
Displacement	45.4 cm ³																																
Power output (kW/hp)	2.3/3.1																																
Revolutions per minute (rpm) MAX	14,000																																
Revolutions per minute (rpm) idle	2,800																																
Weight (kg)	4.6																																
Power-to-weight ratio (kg/KW)	2																																
Sound pressure level	101																																
Sound power level	114																																
Vibration level left/right (m/s ²)	5.7/6.8																																
Oilomatic saw chain type	RM																																
Saw chain pitch	0.325																																
1	units	Pressure washer			6,580.00																												

		Specifications: <ul style="list-style-type: none"> • Voltage: 220-240V-50/60Hz • Carbon brush motor • Pure copper wire • Input power:1800W • Max Pressure:150Bar (2200PSI) • Flow rate:6.0L/min • Auto stop system • 1pcs soap bottle • 1 set water spray gun • 5m high pressure hose • Packed by color box 					
1	units	Electrode Holder (300 Amp) Specifications: <ul style="list-style-type: none"> • 300 Amperes 			715.00		
1	units	Earth Clamp (300 Amp) Specifications: <ul style="list-style-type: none"> • 300 Amperes 			165.00		
1	units	LGP Tank (11kgs) Specifications: <ul style="list-style-type: none"> • 11 Kilogram capacity • for torch cutting 			1,980.00		
1	units	Oxy-Acetylene Tank (79Lbs) Specifications: <ul style="list-style-type: none"> • Typical Volume CF: 145 • Weight: 79 Lbs • for torch cutting 			19,000.00		
TOTAL					₱199,919.00		
Purpose: for the use of Civil Engineering Section							

SIGNATURE OVER PRINTED NAME OF SOLE PROPRIETOR OR REPRESENTATIVE

TELEPHONE NO: _____

CELLPHONE NO: _____

EMAIL: _____

COMPANY LETTERHEAD

**SUPPLY AND DELIVERY OF CONSTRUCTION POWERED TOOLS AND
ACCESSORIES FOR CES**

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, *[Name of Affiant]*, of legal age, *[Civil Status]*, *[Nationality]*, and residing at *[Address of Affiant]*, after having been duly sworn in accordance with law, do hereby depose and state that:

1. *Select one, delete the other:*

If a sole proprietorship: I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

2. *Select one, delete the other:*

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of *[Name of Bidder]*, I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for **SUPPLY AND DELIVERY OF CONSTRUCTION POWERED TOOLS AND ACCESSORIES FOR CES**, as shown in the attached *duly notarized Special Power of Attorney*;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for **SUPPLY AND DELIVERY OF CONSTRUCTION POWERED TOOLS AND ACCESSORIES FOR CES**, as shown in the attached *[state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable);]*;

3. *[Name of Bidder]* is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting ;
4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *Select one, delete the rest:*

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. [Name of Bidder] complies with existing labor laws and standards; and
8. [Name of Bidder] is aware of and has undertaken the following responsibilities as a Bidder:
- a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquire or secure Supplemental/Bid Bulletin(s) issued for the **SUPPLY AND DELIVERY OF CONSTRUCTION POWERED TOOLS AND ACCESSORIES FOR CES**
9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this ___ day of ___, 2025 at _____, Philippines.

Bidder's Representative/Authorized Signatory

SUBSCRIBED AND SWORN to before me this ___ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. _____ and issued on _____ at _____.

Witness my hand and seal this ___ day of *[month]* *[year]*.

NAME OF NOTARY PUBLIC

Serial No. of Commission _____

Notary Public for _____ until _____

Roll of Attorneys No. _____

PTR No. _____ *[date issued]*, *[place issued]*

IBP No. _____ *[date issued]*, *[place issued]*

Doc. No. _____

Page No. _____

Book No. _____

Series of _____